Chapter 10	Agricultural Waste Management System Component Design	Part 651 Agricultural Waste Management Field Handbook

651.1050 Appendix 10A—Blank worksheets

Worksheet 10A-1—Waste storage structure capacity design

Decisionmaker:	Date:			
Site:				
Animal units				
1. Animal type	3. Number of animals (N)			
2. Animal weight, lbs (W)	4. Animal units, $AU = \frac{W \times N}{1000} = \frac{1}{1000} = 1$			
Manure volume				
Daily volume of daily manure production per AU, ft ³ /AU/day (DVM)=	VMD = AU x DVM x D =			
6. Storage period, days (D) =	8. Total manure production for storage period, ft ³ (TVM)			
Wastewater volume				
9. Daily wastewater volume per AU, ft ³ /AU/day (DWW) =	11. Total wastewater volume for storage period, ft ³ (TWW)			
10. Total wastewater volume for animal description for storage period, ft ³ WWD = DWW x AU x D =	_			
Bedding volume				
12. Amount of bedding used daily for animal type, lbs/AU/day (WB) =	14. Bedding volume for animal type for storage period, ft ³ BV =			
13. Bedding unit weight, lbs/fb ³ (BUW) =	0.5 x WB x AU x D			
	15. Total bedding volume for storage period, ft ³ (TBV) =			
Minimum waste storage volume requirement				
16. Waste storage volume, ft ³ (WV) = TVM + TWW + TBV =	+ + =			
Waste stacking structure sizing				
17. Structure length, ft L = WV = — — — — — — — — — — — — — — — — — —	19. Structure height, ft H = WV L x WI			
18. Structure width, ft WI =W =	- -			
Notes for waste stacking structure:				
1. The volume determined (WV) does not include any volume for freeboard. It is recommended that a minimum of 1 foot of freeboard be provided for a waste stacking structure.	The equations for L, WI, and H assume manure is stacked to average height equal to the sidewall height. Available storage volume must be adjusted to account for these types of variations.			
Tank sizing	22. Rectangular tank dimensions			
20. Effective depth, ft. (EH)	Total height, ft (H) = ———————————————————————————————————			
Total height (or depth) of tank desired, ft (H)				
Less precipitation for storage period, ft.	Length, ft L = $\frac{SA}{WI}$ = $\frac{SA}{WI}$			
(uncovered tanks only)	23. Circular tank dimensions			
Less depth allowance for accumulated solids, ft –	Total height, ft H =			
(0.5 ft. minimum)				
Less depth for freeboard (0.5 ft. recommended), ft –	Diameter, ft DIA = (1.273 x SA)0 ^{.5} =			
Effective depth, ft (EH) =	 Final dimensions may be rounded up to whole numbers or to use increments on standard drawings. 			
EH				

Worksheet 10A-2—Waste storage pond design

Site:				
Animal units				
1. Animal type	3. Number of animals (N)			
2. Animal weight, lbs (W)	4. Animal units, $AU = \frac{W \times 1}{1000}$	<u>N</u> =		
Manure volume				
5. Daily volume of manure production per AU, ft ³ /AU/day (DVM)=	7. Total volume of manure production for animal type for storage period, ft ³			
6. Storage period, days (D) =	8. Total manure production for storage period, ft ³ (TVM)			
Wastewater volume				
9. Daily wastewater volume per AU, ft ³ /AU/day (DWW) =	11. Total wastewater volume storage period, ft ³ (TWW	for V) ———————————————————————————————		
10. Total wastewater volume for animal description for storage period, ft ³ WWD = DWW x AU x D =				
Clean water volume	Runoff volume			
12. Clean water added during storage period, ft ³ (CW)	Includes the volume of rur	DV) (attach documentation)noff from the drainage area		
Solids accumulation	due to normal runoff for the runoff volume from the 25			
14. Volume of solids accumulation, ft ³ (VSA)	runon volume from the 23	r-year, 24-nour storm.		
Minimum waste storage volume requirement 15. Waste storage volume, ft ³ (WSV) = TVM + TWW + CW + ROV + VS = +		+ =		
Pond sizing				
16. Sizing by trial and error				
Side slope ratio, (Z) = V must be equal to or	greater than WSV =	ft^3		
Rectangular pond,	Circular pond,			
$V = \left(\frac{4 \times Z^2 \times d^3}{3}\right) + \left(Z \times BL \times d^2\right) + \left(Z \times BW \times d^2\right) + \left(BW \times BL \times d\right)$		1.57 x W x Z x d ²) + (0.79 x W ² x d)		
Trial Bottom width Bottom length Depth* Volume no. ft (BW) ft (BL) ft (d) ft ³ (V)		,		
* Depth must be adjusted in Step 17. Depth adjustment				
17. Depth adjustment				
Depth, ft (d)				
Add depth of precipitation less evaporation +(For the storage period)	•	ninimum) +		
Add depth of 25-year, 24-hour storm+	чори			

Worksheet 10A-3—Anaerobic lagoon design

Decisionmaker:	Date:	
Site:		
Animal units		
1. Animal type	3. Number of animals (N)	
2. Animal weight, lbs (W)	4. Animal units, AU = <u>W x N</u> =	
Manure volume		
5. Daily volume of daily manure production per AU, ft ³ /AU/day (DVM)=	7. Total volume of manure production for animal type for treatment period, ft ³ VMD = AU x DVM x D =	
6. Treatment period, days (D) =	8. Total manure production for treatment period, ft ³ (TVM)-	
Wastewater volume		
9. Daily wastewater volume per AU, ft ³ /AU/day (DWW) =	11. Total wastewater volume for treatment period, ft ³ (TWW)	
10. Total wastewater volume for animal description for treatment period, ft ³ WWD = DWW x AU x D =		
Clean water volume		
12. Clean water added during treatment period, ft ³ (CW)		
Waste volume 13. Waste volume for treatment period, ft ³ WV = TVM + TWW + CW =	++=	
Manure total solids		
 14. Daily manure total solids production, lbs/AU/day (MTS) = 15. Daily manure total solids production for animal type, lbs/day 	16. Total manure total solids production,	
NATCO NATC ALL	ibs/day (TMTS) =	
Manure volatile solids 17. Daily manure volatile solids production per AU, lbs/AU/day (MVS) =		
18. Daily manure volatile solids production for animal type per day, lbs/day		
Wastewater volatile solids		
20. Daily wastewater volatile solids production, lbs/1000 gal (DWVS)	=	
21. Total wastewater volatile solids production for animal type, lbs/day		
$WVSD = DWVS \times DWW \times 7.48$		
D x 1,000		
22. Total wastewater volatile solids production, lbs/day (TWVS)	= = 	
Total volatile solids (manure and wastewater) 23. Total daily volatile solids production, lbs/day TVS = TMVS + TWVS =	+=	
Minimum treatment volume	25. Minimum treatment volume, ft ³	
24. Selected lagoon VS loading rate, lbs VS/1,000 ft ³ (VSLR) =	·	
, , , , , , , , , , , , , , , , , , ,		
Sludge volume requirement	28. Sludge volume requirement, ft ³	
26. Sludge accumulation ratio, ft ³ /lb TS (SAR) =	SV = 365 x TMTS x T x SAR	
27 Sludge accumulation period, years (T) =	= 365 x ()()()=	
Minimum lagoon volume requirement 29. Minimum lagoon volume requirements, ft ³ (MLVR) = MTV + SV + WV =		

Worksheet 10A-3—Anaerobic lagoon design—Continued

Igoon sizing 80. Sizing by trial and error $V = \frac{(4 \times Z)}{(4 \times Z)}$	$(\frac{2 \times d^3}{2}) + (Z \times BL \times d^2) + (Z \times BW \times d^2)$	$(d^2) + (BW \times BL \times d)$	
Side slope ratio, (Z) =	3	al to or greater than MLVR =	ft ³
Trial Bottom width no. ft (BW)	Bottom length ft (BL)	Depth* ft (d)	Volume ft ³ (V)
epth adjustment			
31. Depth adjustment			
Depth, ft (d)			
Add depth of precipitation less evaporation on lago (for the treatment period)	on surface+		
Add depth of 25-year, 24-hour storm	+		
Add for freeboard (1.0 foot minimum)	+		
Final depth			
2. Compute total volume using final depth, ft^3 (use eq	uation in sten 30)		
J	,		

Worksheet 10A-4—Aerobic lagoon design

Decicionmolere	Date:
Decisionmaker:	Date.
Site:	
Animal units	
1. Animal type	3. Number of animals (N)
2. Animal weight, lbs (W)	4. Animal units, $AU = \frac{W \times N}{1000} = \dots$
Manure volume	
5. Daily volume of daily manure production per AU, ft ³ /AU/day (DVM) =	VMD = AU x DVM x D =
6. Treatment period, days (D) =	8. Total manure production for treatment period, ft ³ (TVM)
Wastewater volume	
9. Daily wastewater volume per AU, ft ³ /AU/day (DWW) =	11. Total wastewater volume for treatment period, ft ³ (TWW)
10. Total wastewater volume for animal description for treatment period, ft ³ WWD = DWW x AU x D =	
Clean water volume	
12. Clean water added during treatment period, ft ³ (CW)	
Waste volume	
13. Waste volume for treatment period, ft ³ WV = TVM + TWW + 0	CW = + =
Manure total solids 14 Daily manure total solids production lbs/ALVday (MTS)	16. Total manure total solids production,
14. Daily manure total solids production, lbs/AU/day (MTS) = 15. Daily manure total solids production for animal type, lb/day	lbs/day (TMTS) =
MTSD = MTS x AU =	
Manure 5-day biochemical oxygen demand 17. Daily manure BOD ₅ production per AU, lbs/AU/day (MBOD) =	
18. Daily manure BOD ₅ production for animal type per day, lbs/day	MBOD = AU x BOD =
19. Total manure production, lbs/day (TMBOD)	
Wastewater 5-day biochemical oxygen demand	1
20. Daily wastewater BOD ₅ production, lbs/1000 gal (DWBOD)	=
21. Total wastewater BOD_5 production for animal type, lbs/day	
$WBOD = \frac{(DWBOD \times TWW \times 7.48)}{D \times 1,000}$	
22. Total wastewater BOD ₅ production, lbs/day (TWBOD)	=
TOTAL BOD ₅ (manure and wastewater) 23. Total daily production, lbs/day TBOD = TMBOD + TWBOD =	+=
Minimum treatment surface area	25. Minimum treatment surface area, acres
24. Selected lagoon BOD ₅ loading rate, lbs BOD ₅ /acre (BODLR) =	MTA = TBOD = () =
Sludge volume requirement	28. Sludge volume requirement, ft ³
26. Sludge accumulation ratio, ft³/lb TS (SAR) =	SV = 365 x TMTS x T x SAR
27 Sludge accumulation period, years (T) =	= 365 ()()()=
Minimum lagoon volume requirement 29. Minimum lagoon volume requirements, ft ³ MLVR = SV + WV =	+=+

Worksheet 10A-4—Aerobic Lagoon Design—Continued

	10.00.0 Lagoon 200	-g				
Lagoon sizing 30. Sizing by trial and Side slope ratio, (a	error: Z) =					
V must be equal to	o or greater than MLVR = _	ft ³				
SA must be equal	to or greater than MTA =	acres				
Rectangular lagoo	n:					
d must be less tha	ın 5 feet					
$SA = \frac{(BL + 2Zd)}{43}$)(BW + 2Zd)					
$V = \left(\frac{4 \times Z^2 \times d^3}{3}\right)$	$\begin{pmatrix} 3 \\ - \end{pmatrix} + (Z \times BL \times d^2) + (Z \times BL \times d^2)$	$W \times d^2$) + (BW × BL × d)				
Trial no.	Bottom width ft (BW)	Bottom length ft (BL)	Depth* ft (d)	Volume ft ³ (V)	Surface area acres (SA)	
* Depth must be ac	djusted in Step 31					
Depth adjustme	nt					
31. Depth adjustment						
Depth , ft (d)						
Add depth of precip (for the treatme	oitation less evaporation on ent period)	lagoon surface +				
Add depth of 25-year	ar, 24-hour storm	+				
Add for freeboard ((1.0 foot minimum)	+				
Final depth						
32. Compute total volur (use equation in ste	me using final depth, ft ³ ep 30)					

Worksheet 10A-5—Anaerobic digester design

	Date:
Site:	
Animal units	
. Animal type	3. Number of animals (N)
. Animal weight, lbs (W)	4. Animal units, $AU = \frac{W \times N}{1000} = \frac{W \times N}{1000}$
Manure volume 5. Daily volume of daily manure production per AU, ft ³ /AU/day (DVM)=	7. Total daily manure production volume, ft ³ /day (TMP)
6. Total volume of daily manure production for animal type, ft ³ /day MPD = AU x DVM	
Manure total solids 8. Daily manure total solids production, lbs/AU/day (MTS) = 9. Daily manure total solids production for animal type, lb/day	10. Total manure total solids production, lbs/day (TMTS) =
12. Daily manure volatile solids production for animal type per day, II	bs/day MVSD = AU x MVS
Percent solids 14. Percent solids, % (PS) $PS = \frac{TMTS \times 100}{TMP \times 62.4} = \frac{() \times 100}{() \times 62.4} = \frac{() \times 100}{() \times 62.4}$	Digester feed solid concentration 15. Desired digester feed solids concentration, % (DDFSC) =
Daily manure inflow 16. Daily manure inflow, ft ³ $DMI = \frac{TMTS \times 100}{DDFSC \times 62.4} = \frac{() \times 100}{() \times 62.4} = {}$	Digester effective volume 17. Digester effective volume, ft ³ DEV = DMI x 20 = () x 20
Digester dimensions 8. Digester depth, ft $H = \left(\frac{DEV}{9}\right)^{0.33} = \left[\frac{1}{9}\right]^{0.33} = \frac{1}{9}$	19. Digest width, ft
- (8) 8	

Worksheet 10A-6—Monthly precipitation minus evaporation

Site: Annual FWS Evaporation (FWS) =	Decisionmaker:			Date:	
Monthly precipitation annual evaporation of annual evaporation MP (inches)* Monthly precipitation less evaporation MP (inches)* MPLE (inches)* January February March April May June July August September October November December **ME = FWS x MPAE* Storage or treatment period, days (D) = Monthly precipitation less evaporation MPLE (inches)* Monthly precipitation less evaporation MPLE (inches)* Monthly precipitation less evaporation MPLE (inches)* Monthly precipitation less evaporation MPLE (inches)*	Site:			I	
January February March April May June July August September October November December **ME = FWS x MPAE Storage or treatment period, days (D) = months = Critical successive months Monthly precipitation less evaporation Month Month Monthly precipitation Month	Annual FWS Evaporat	ion (<i>FWS</i>) =inc	ches		
February March April May June July August September October November December **ME = FWS x MPAE Storage or treatment period, days (D) = months = Critical successive months Monthly precipitation less evaporation MPLE (inches) Month less evaporation MPLE (inches)	Month	Monthly precipitation MP (inches)	Monthly portion of annual evaporation MPAE (percent)	Monthly evaporation ME (inches)*	Monthly precipitation less evaporation MPLE (inches)
March April May June July August September October November December **ME = FWS x MPAE Storage or treatment period, days (D) = months = Critical successive months Monthly precipitation less evaporation MPLE (inches) Month Month MPLE (inches)	January				
April	February				
May June July	March				<u> </u>
July August September October November December **ME = FWS x MPAE Storage or treatment period, days (D) = months = Critical successive months Monthly precipitation less evaporation MPLE (inches) Month MPLE (inches) Month MPLE (inches)	April				
July August September October November December "ME = FWS x MPAE Storage or treatment period, days (D) = months = Critical successive months Monthly precipitation less evaporation MPLE (inches) Month MPLE (inches)	May				
August September October November December **ME = FWS x MPAE Storage or treatment period, days (D) = months = **Critical successive months Monthly precipitation less evaporation Month MPLE (inches) Monthly precipitation MPLE (inches)	June				
September October November December Storage or treatment period, days (D) = Monthly precipitation less evaporation MPLE (inches) Month MPLE (inches) Month MPLE (inches)	July				<u> </u>
October November December *ME = FWS x MPAE Storage or treatment period, days (D) = months = Critical successive months Monthly precipitation Month less evaporation MPLE (inches) Month MPLE (inches) Month MPLE (inches)	August				
November	September .				
December *ME = FWS x MPAE Storage or treatment period, days (D) = months = Critical successive months Monthly precipitation Monthly precipitation less evaporation Monthly precipitation Mess evaporation Mess evapo	October				
*ME = FWS x MPAE Storage or treatment period, days (D) = months = Monthly = Monthly precipitation	November				
Storage or treatment period, days (D) = months = Critical successive months Monthly precipitation	December				
months = Critical successive months Monthly precipitation	*ME = FWS	x MPAE			
Critical successive months Monthly precipitation Month less evaporation MPLE (inches) Month MPLE (inches) Month less evaporation MPLE (inches)	Storage or treatmer	nt period days (D) =			
		Monthly precipitation less evaporation		Month	less evaporation
Total		MPLE (inches)			MPLE (inches)
Total					
Total					
Total				_	
Total					
Total					
Total			<u> </u>		
Total ————————————————————————————————————					
	Total			–	